


Impact Monitoring Schedule for NENT Landfill Extension (May 2024) (version 1.0)

5-2024						
Sun	Mon	Tue	Wed	Thur	Fri	Sat
			1	2 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	3	4
5	6	7	8 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a Surface water quality monitoring at WM1 and WM2	9	10	11
12	13	14 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	15	16	17	18
19	20 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	21	22	23	24	25 Air quality monitoring at AM1, AM2 and AM3
26	27	28	29	30	31 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	1



Remark:

- The schedule is tentative only and would be subject to changes due to unforeseen circumstances.
- Air quality monitoring includes 1-hour TSP and 24-hour TSP monitoring at AM1, AM2 and AM3 (Ref.: Table 3.1 of the approved EM&A Manual).
- Noise monitoring includes 30-minute construction noise monitoring at NM1a and NM2a (Ref.: Table 4.1 of the approved EM&A Manual).
- Surface water quality monitoring includes in-situ measurement and water sampling for laboratory analysis at WM1 and WM2 (Ref.: Table 5.5 and Section 5.5.6 of the approved EM&A Manual).
- Please arrange a Veolia staff to accompany our staff(s) to each locations for every monitoring.

Impact Monitoring Schedule for NENT Landfill Extension (June 2024) (version 2.0)

6-2024						
Sun	Mon	Tue	Wed	Thur	Fri	Sat
						1
2	3	4	5	6 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	7	8
9	10	11	12 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a Surface water quality monitoring at WM1 and WM2	13	14	15
16	17	18 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	19	20	21	22
23	24 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	25	26	27	28	29 Air quality monitoring at AM1, AM2 and AM3
30						

Remark:

1. The schedule is tentative only and would be subject to changes due to unforeseen circumstances.
2. Air quality monitoring includes 1-hour TSP and 24-hour TSP monitoring at AM1, AM2 and AM3 (Ref.: Table 3.1 of the approved EM&A Manual).
3. Noise monitoring includes 30-minute construction noise monitoring at NM1a and NM2a (Ref.: Table 4.1 of the approved EM&A Manual).
4. Surface water quality monitoring includes in-situ measurement and water sampling for laboratory analysis at WM1 and WM2 (Ref.: Table 5.5 and Section 5.5.6 of the approved EM&A Manual).
5. Please arrange a Veolia staff to accompany our staff(s) to each locations for every monitoring.